Every Newborn Counts, Everywhere: Statement from the 2023 Joint European Neonatal Societies' (jENS) Congress

Joy E Lawn^{1,2}, Danielle EY Ehret^{3,4}, Tendai Mutema⁵, Alex Stevenson⁶, Karen Walker^{7,8}, Linda Storari⁹, Willem P de Boode¹⁰, Silke Mader¹¹, Corrado Moretti¹², Charles C Roehr^{13,14}, Ola D Saugstad^{15,16}

Received on: 28 January 2024; Accepted on: 29 February 2024; Published on: 26 March 2024

Keywords: Baby, Global health, Infant, Low- and middle-income countries, Newborn, Neonate. *Newborn* (2024): 10.5005/jp-journals-11002-0087

INTRODUCTION

Every newborn enters the world the same, but where you are born determines your access to care and your survival. Annually, 2.3 million newborns die, in addition to 1.9 million stillbirths, with 98% in low- and middle-income countries, and only 0.6% in Europe. Almost all these deaths are preventable. Collectively, we can prevent millions of newborn deaths and the majority of stillbirths within a generation.¹ There are totally 134 million births annually, and Table 1 presents the number (%) of births per continent.²

Neonatal conditions are the leading cause of child deaths and of lost human capital through the whole life course, in the Global Burden of Disease, number one since 1990. Conflicts, climate change, COVID-19 and the cost of living crisis are all impacting healthcare systems, but newborns are the most vulnerable.³

Progress to reduce neonatal mortality is unacceptably slow, especially in countries with the highest burden, and 63 countries are off track for their newborn targets by 2030 in the sustainable development goals (SDGs).⁴ Highly effective interventions exist and the *Every Newborn Action Plan* lays out a strategic and cost-effective roadmap, with 106 countries committed to action. We have evidence and new opportunities to accelerate progress in all settings, but urgent action is needed.⁵ The priority is higher coverage to reach every country and every district with maternal and neonatal care. To reach the SDG target of <12 neonatal deaths per 1000 live births requires high coverage of respiratory support for preterm newborns. The following actions are the foundation.³

Invest

It is not just more money, but smarter and fairer investment that is required. There are \$15.9 billion a year of donor aid to spend on Reproductive, Maternal, Newborn, and Child Health (RMNCH) yet, newborns, and especially stillbirths, are still rarely mentioned.

Oceania	0.69	(0.5)
Latin America and the Caribbean	9.71	(7.2)
North America	4.10	(3.1)
Europe	6.88	(5.1)
Africa	45.63	(34.0)
Asia	67.23	(50.1)

Number in million (percentage) of births per continent (2021). Data from reference 2

¹London School of Hygiene and Tropical Medicine, London, United Kingdom

²NEST360 Alliance

³University of Vermont Larner College of Medicine, Burlington, Vermont, United States of America

⁴Vermont Oxford Network, Burlington, Vermont, United States of America ⁵Family Lead African Neonatal Network

⁶African Neonatal Association, Kigali, Rwanda

⁷Department of Newborn Care, Royal Prince Alfred Hospital; Faculty of Medicine and Health, University of Sydney, Sydney, Australia

⁸Council of International Neonatal Nurses Inc.

⁹Global Health, Chiesi Farmaceutici SpA, Parma, Italy

¹⁰Department of Neonatology, Radboud University Medical Center, Radboud Institute for Health Sciences, Amalia Children's Hospital, Nijmegen, the Netherlands

¹¹European Foundation for the Care of Newborn Infants, Munich, Germany

¹²Department of Paediatrics, Sapienza University of Rome, Italy

¹³National Perinatal Epidemiology Unit, Oxford Population Health, University of Oxford, Oxford, United Kingdom; and Faculty of Health Sciences, University of Bristol, Bristol, United Kingdom

¹⁴Faculty of Health Sciences, University of Bristol, Bristol, United Kingdom

¹⁵Department of Pediatric Research, University of Oslo, Norway

¹⁶Ann & Robert H. Lurie Children's Hospital of Chicago, Northwestern University Feinberg School of Medicine, Chicago, Illinois, United States of America

Corresponding Author: Ola D Saugstad, Department of Pediatric Research, University of Oslo, Norway; Ann & Robert H. Lurie Children's Hospital of Chicago, Northwestern University Feinberg School of Medicine, Chicago, Illinois, United States of America, Phone: +4790194144, e-mail: o.d.saugstad@medisin.uio.no

How to cite this article: Lawn JE, Ehret DEY, Mutema T, *et al.* Every Newborn Counts, Everywhere: Statement from the 2023 Joint European Neonatal Societies' (jENS) Congress. Newborn 2024;3(1): 1–2.

Source of support: Nil Conflict of interest: None

Furthermore, the return on investment is very high. Recent analyses from Tanzania shows a return of \$8–12 for every \$1 invested in neonatal care improvements.⁶

© The Author(s). 2024 Open Access. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (https://creativecommons. org/licenses/by-nc/4.0/), which permits unrestricted use, distribution, and non-commercial reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

Implement

Sustainable systems change is required at all levels of health care from facilities to national and subnational policies and programs, including the right data and right healthcare professionals to track and drive faster progress.

Integrate

Collaborate across national and professional boundaries. Support local networks and learning communities. Accountability, based on data is key.

Innovate

Ensure innovations are affordable and available and used in the highest burden countries. $^{7\!,8}$

All of us have a role to play to raise the urgency of this silent public health and human rights epidemic. Family's voices must be amplified and acted upon. We can and must partner with communities, healthcare professionals and leaders to change life chances for the next generation everywhere. Each time we lose an newborn, we lose an entire life and its possibilities!

AUTHORS' **C**ONTRIBUTIONS

AS, DE, JEL, KW, ODS, and TM wrote the first drafts. All authors have commented on and approved the final version. CCR and WdeB are past and present presidents of the European Society for Paediatric Research. CM is president of the Union of European Perinatal and Neonatal Societies. SM is chairperson of the European Foundation for the Care of Newborn Infants. AS is president of the African Neonatal Association. KW is president of the Council of International Neonatal Nurses.

REFERENCES

- 1. Lawn JE, Bhutta ZA, Ezeaka C, et al. Ending preventable neonatal deaths: Multicountry evidence to inform accelerated progress to the sustainable development goal by 2030. Neonatology 2023;120 (4):491–499. DOI: 10.1159/000530496.
- 2. https://ourworldindata.org/grapher/annual-number-of-births-by-world-region.
- WHO. Born too soon: Decade of action on preterm birth. WHO, Geneva; 2023. Available from: https://www.who.int/publications/i/ item/9789240073890.
- WHO. Improving maternal and newborn health and survival and reducing stillbirth—Progress report 2023. WHO, Geneva; 2023. Available from: https://www.who.int/publications/i/ item/9789240073678.
- 5. Kumar MB, Bath D, Binyaruka P, et al. Donor aid mentioning newborns and stillbirths, 2002–19: An analysis of levels, trends, and equity. The Lancet Global Health 2023;11(11):e1785–e1793. DOI: 10.1016/S2214-109X(23)00378-9.
- Kamuyu R, Tarus A, Bundala F, et al. Investment case for small and sick newborn care in Tanzania: Systematic analyses. BMC Pediatr 2023;23(Suppl 2):632. DOI: 10.1186/s12887-023-04414-2.
- Cutler DM, Meara E, Richards-Shubik S. Induced Innovation and Social Inequality: Evidence from Infant Medical Care. J Hum Resour 2012;47(2):456–492. DOI: 10.3368/jhr.47.2.456.
- Burstein R, Henry NJ, Collison ML, et al. Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature 2019;574: 353–358. DOI: 10.1038/s41586-019-1545-0.